



DEPARTMENT OF MATHEMATICS

Lattices and Boolean Algebra

Relation:

Relation is called a binary operation between a pair of objects.

Properties of Relation:

Reflexive:

Let R be a relation on set X

R is reflexive if $xRx, \forall x \in X$.

Symmetric:

R is symmetric if $xRy \Rightarrow yRx, \forall x, y \in X$.

Transitive:

R is Transitive if xRy and $yRz \Rightarrow xRz,$

$\forall x, y, z \in X$.

Antisymmetric:

R is antisymmetric if xRy and $yRx \Rightarrow x=y$

Eg:

Let $A = \{1, 2, 3\}$ and R be the relation " \leq "

$R = \{(1, 1), (1, 2), (1, 3), (2, 2), (2, 3), (3, 3)\}$

$\therefore R$ is reflexive, Transitive, Antisymmetric.

Equivalence Relation:

A relation R on X is called an equivalence relation on X if R satisfies reflexive, symmetric and Transitive.

Partial order Relation:

A relation R which satisfies reflexive, antisymmetric and transitive is called an partial order relation.



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)



Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai

Accredited by NAAC-UGC with 'A++' Grade (Cycle III) &

Accredited by NBA (B.E - CSE, EEE, ECE, Mech & B.Tech.IT)

COIMBATORE-641 035, TAMIL NADU

DEPARTMENT OF MATHEMATICS

partially ordered set or posets

A set together with a partial order relation defined on it is called partially ordered set. It is denoted by (P, \leq)

Hasse diagram:

A graphical representation of a poset is called Hasse diagram.

Q. Draw Hasse diagram for $(P(A), \subseteq)$ where


i). $A = \{a, b\}$

ii). $A = \{a, b, c\}$

Soln:


i). $A = \{a, b\}$

$P(A) = \{\emptyset, \{a\}, \{b\}, \{a, b\}\}$



ii). $A = \{a, b, c\}$

$P(A) = \{\emptyset, \{a\}, \{b\}, \{c\}, \{a, b\}, \{a, c\}, \{b, c\}, \{a, b, c\}\}$



Q. If $x = \{2, 3, 6, 12, 24, 36\}$ and the relation " \leq " is defined as $a \leq b$ if $a|b$. Draw the Hasse diagram of (X, \leq) .



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai

Accredited by NAAC-UGC with 'A++' Grade (Cycle III) &

Accredited by NBA (B.E - CSE, EEE, ECE, Mech & B.Tech.IT)


COIMBATORE-641 035, TAMIL NADU



DEPARTMENT OF MATHEMATICS

Soln.


$$R = \{ (2, 6), (2, 12), (2, 24), (2, 36), (3, 6), (3, 12), (3, 24), (3, 36), (6, 12), (6, 24), (6, 36), (12, 24), (12, 36) \}$$



Q. Draw Hasse diagram where $x = \{1, 2, 3, 4, 5, 6\}$ and " $/$ " is a partial ordering relation on x .

Soln.


$$R = \{ (1, 2), (1, 3), (1, 4), (1, 5), (1, 6), (2, 4), (2, 6), (3, 6) \}$$



Q. Let $x = \{1, 2, 3, 4, 6, 12\}$ and " \leq " is the relation such that $x < y$ iff x/y .

Soln.

$$R = \{ (1, 2), (1, 3), (1, 4), (1, 6), (1, 12), (2, 4), (2, 6), (2, 12), (3, 6), (3, 12), (4, 12), (6, 12) \}$$





SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai

Accredited by NAAC-UGC with 'A++' Grade (Cycle III) &

Accredited by NBA (B.E - CSE, EEE, ECE, Mech & B.Tech.IT)

COIMBATORE-641 035, TAMIL NADU



DEPARTMENT OF MATHEMATICS


Q. Draw the Hasse Diagram for D_{30} (Divisors of 30)

Soln.

$(D_{30}, |)$

$$D_{30} = \{1, 2, 3, 5, 6, 10, 15, 30\}$$

$$R = \left\{ \begin{array}{l} (1, 2), (1, 3), (1, 5), (1, 6), (1, 10), (1, 15), (1, 30) \\ (2, 6), (2, 10), (2, 30), (3, 6), (3, 15), (3, 30) \\ (5, 10), (5, 15), (5, 30), (6, 30), (10, 30), (15, 30) \end{array} \right\}$$






DEPARTMENT OF MATHEMATICS

Maximal and Minimal Element:

An element $a \in P$ is called maximal in the poset (P, \leq) if there is no $b \in P$ such that $b > a$.

An element $a \in P$ is called minimal in the poset (P, \leq) if there is no $b \in P$ such that $b < a$.



Greatest and Least element:

An element 'a' is the greatest element of the poset (P, \leq) if $b \leq a$ for all $b \in P$.

The greatest element is unique if it exist.

An element 'a' is the least element of the poset (P, \leq) if $a \leq b$ for all $b \in P$. The least element is unique if it exist.



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai

Accredited by NAAC-UGC with 'A++' Grade (Cycle III) &

Accredited by NBA (B.E - CSE, EEE, ECE, Mech & B.Tech.IT)

COIMBATORE-641 035, TAMIL NADU



DEPARTMENT OF MATHEMATICS

Upper bound and Lower Bound

Let (P, \leq) be a poset and $A \subseteq P$.

Any elt. $x \in P$ is an upper bound of A for all $a \in A$ such that $a \leq x$.

Similarly, an elt. $x \in P$ is a lower bound of A for $a \in A$ and $x \leq a$.

Least upper bound:

Let (P, \leq) be a poset and $A \subseteq P$.

An element $a \in P$ is said to be least upper bound or supremum of A if

i). a is an upper bound of A

ii). $a \leq c$, where c is any other upper bound of A .

Greatest lower bound:

Let (P, \leq) be a poset and $A \subseteq P$.

An element $b \in P$ is said to be greatest lower bound or infimum of A if

i). b is a lower bound of A


ii). $b \geq d$, where d is any other lower bound of A .

Q. which elements of the poset $\{2, 4, 5, 10, 12, 20, 25\}$ are maximal and which are minimal?

Soln.

$$R = \{(2, 4), (2, 10), (2, 12), (2, 20), (4, 12), (4, 20), (5, 10), (5, 20), (5, 25), (10, 20)\}$$

Hasse Diagram:



maximal elements:
12, 20, 25

minimal elements:
2, 5



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai

Accredited by NAAC-UGC with 'A++' Grade (Cycle III) &

Accredited by NBA (B.E - CSE, EEE, ECE, Mech & B.Tech.IT)

COIMBATORE-641 035, TAMIL NADU



DEPARTMENT OF MATHEMATICS

2]. which is the greatest element and a least element in the poset $(P(A), \subseteq)$ where A is any finite set.

Soln.

$\phi \rightarrow$ least element

$A \rightarrow$ greatest element.



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai

Accredited by NAAC-UGC with 'A++' Grade (Cycle III) &


Accredited by NBA (B.E - CSE, EEE, ECE, Mech & B.Tech.IT)

COIMBATORE-641 035, TAMIL NADU




DEPARTMENT OF MATHEMATICS

3. Determine whether the poset represented by the base diagram of the following have a least, greatest, maximal & minimal.




max elt. = 27
min. elt = 1
least elt. = 1
Greatest elt. = 27


1. Determine whether the posets represented by each of the HD to the following figure have a greatest elt. and a least elt.




(a)



(b)



(c)



(d)

Soln

(a) least elt. is a

Greatest elt. does not exist

(b) neither a least nor a greatest elt.

(c) least elt. does not exist
greatest elt. is d

(d) least elt. is a
greatest elt. is d.



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai

Accredited by NAAC-UGC with 'A++' Grade (Cycle III) &

Accredited by NBA (B.E - CSE, EEE, ECE, Mech & B.Tech.IT)

COIMBATORE-641 035, TAMIL NADU




DEPARTMENT OF MATHEMATICS

5j. Consider $x = \{2, 3, 6, 12, 24, 36\}$ and
 R = $\{ \langle a, b \rangle, a|b \}$. Find LUB and GLB of
 (2, 3) and (24, 36).

Soln.

$$R = \{ \langle 2, 6 \rangle \langle 2, 12 \rangle, \langle 2, 24 \rangle \langle 2, 36 \rangle \langle 3, 6 \rangle \\ \langle 3, 12 \rangle \langle 3, 24 \rangle \langle 3, 36 \rangle \langle 6, 12 \rangle \langle 6, 24 \rangle \\ \langle 6, 36 \rangle \langle 12, 24 \rangle \langle 12, 36 \rangle \}$$




7j. $UB \{2, 3\} = \{6, 12, 24, 36\}$
 $LUB \{2, 3\} = 6$
 $UB \{24, 36\} = \text{does not exist}$
 $LUB \{24, 36\} = \text{does not exist}$

8j. $LB \{2, 3\} = \text{does not exist}$
 $GLB \{2, 3\} = \text{does not exist}$
 $LB \{24, 36\} = \{2, 3, 6, 12\}$
 $GLB \{24, 36\} = 12$

6j. Let $D_{30} = \{1, 2, 3, 5, 6, 10, 15, 30\}$ with a relation
 $x \leq y$ iff x divides y .

- Find:
- i). All lower bounds of 10 and 15.
 - ii). GLB of 10 and 15
 - iii). All upper bound of 10 and 15
 - iv). LUB of 10 and 15
 - v). Draw Hasse Diagram for D_{30} .

Soln.





SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai

Accredited by NAAC-UGC with 'A++' Grade (Cycle III) &

Accredited by NBA (B.E - CSE, EEE, ECE, Mech & B.Tech.IT)

COIMBATORE-641 035, TAMIL NADU



DEPARTMENT OF MATHEMATICS

- i). $LB(10, 15) = \{1, 5\}$
 ii). $GLB(10, 15) = 5$
 iii). $UB(10, 15) = 30$
 $LUB(10, 15) = 30$

7. Consider $X = \{1, 2, 3, 4, 6, 12\}$ and $R = \{ \langle a, b \rangle \mid a|b \}$. Find LUB and GLB for the Poset (X, R) .

Soln.

$$R = \{ (1, 2), (1, 3), (1, 4), (1, 6), (1, 12), (2, 4), (2, 6), (2, 12), (3, 6), (3, 12), (4, 12), (6, 12) \}$$

i). $UB\{1, 3\} = \{3, 6, 12\}$

$LUB\{1, 3\} = 3$

$UB\{1, 2, 3\} = \{6, 12\}$

$LUB\{1, 2, 3\} = 6$

$UB\{2, 3\} = \{6, 12\}$

$LUB\{2, 3\} = 6$

ii). $LB\{1, 3\} = 1$


$GLB\{1, 3\} = 1$

$LB\{1, 2, 3\} = 1$


$GLB\{1, 2, 3\} = 1$

$LB\{2, 3\} = 1$

$GLB\{2, 3\} = 1$



8. Find the GLB & LUB of $\{b, d, g\}$, if they exist in the poset given below.



Soln.

$UB\{b, d, g\} = g, h$

$LUB\{b, d, g\} = g$

$LB\{b, d, g\} = a, b$

$GLB\{b, d, g\} = b$